

Frontier™

● Frontier™ Acoustic Raft Beam 100  
in Petronas



● QB Studios,  
New Zealand



# Pushing the boundaries of acoustic design

Comprised of linear, almost skeletal elements, the modular Frontier™ system congregates to form undulating sculptures and rhythmic slatted features. Available in two variations—Fins and Raft—the Frontier system is designed to communicate with interior spaces via an adjustable channel and clip system—giving you complete control over the height, spacing, and placement of each individual component. Lightweight yet solid in appearance, Frontier Acoustic Fins and Raft are made from 100% polyester fiber and cut to form elegant 2D and 3D shapes. Frontier is designed to be ‘tuned’ to interior spaces, offering tailored acoustic absorption across a wide range of frequencies.

To find out more about Frontier visit [www.autexglobal.com](http://www.autexglobal.com)



#### Features and benefits

- Delivers excellent acoustic performance
- Available in nine styles
- Formed by just three elements, Frontier is installed quickly and efficiently, saving time on site
- Easy to uninstall and relocate
- Can be 'tuned' to any space
- Constructed without adhesives

#### Applications

- Decorative, high-performance acoustic treatment for interior spaces
- Can be direct fixed or suspended from ceilings and walls



# The Autex Acoustics<sup>®</sup> sustainability pillars

Our sustainability strategy provides the foundation and direction for our sustainability mission and goals. Our sustainability strategy is split into five pillars.



**Climate change** - We aim to maintain our position as a net-zero carbon organization and offer carbon neutral products. Autex Acoustics began carbon accounting in 2017 and we continue to measure and monitor our GHG emissions which help inform carbon reduction initiatives. Remaining carbon emissions are mitigated using certified carbon credits.



**Purpose and profit** - Our goal is to positively impact our environment, our people, and the next generation. Autex Acoustics has committed a fund to support restorative social and environmental programmes.



**Closing the loop** - We aim to increase the uptake of product stewardship in the construction industry and expand our product takeback schemes to help build a more circular economy. We avoid waste through reducing material inputs to our products and designing for reuse/disassembly. We reuse waste from our manufacturing operations to make more product. We incorporate recycled PET waste into new product and use recyclable cardboard as packaging.



**Wellbeing** - We aim to ensure all current and future Autex Acoustics products avoid harmful chemicals. Our products are simple and designed without any toxic ingredients to support human and environmental health. Autex Acoustics products have a profound impact on the acoustic environment of building interiors and wellbeing of occupants.



**Supply chain** - We aim to eliminate any unethical practices in our supply chain to encourage good working conditions throughout our supplier network. Autex Acoustics carefully selects the best suppliers to ensure we deliver quality products that have a responsible social and environmental track record. As an organization that relies on a global supply chain, we recognize the pressing—and ongoing—need to eliminate unethical practices within our own supply chain, particularly with regards to modern slavery.


# How we're fighting climate change

The climate crisis is the biggest issue of our generation. As a product designer and manufacturer, we have an opportunity to help improve the carbon impact of our industry.

## Our operational carbon emissions

We are a carbon neutral business. We actively monitor the carbon emissions of our entire operation to better understand our carbon footprint and how we can further reduce emissions. We have an internal strategy to reduce our carbon emissions and have successfully delivered a number of carbon reduction initiatives within our operations. Any carbon emissions that are currently unavoidable are offset through certified carbon credits. We have a commitment to purchase only verified carbon credits that are retired on robust registers to ensure we are driving positive change.


### Key business activities contributing to our operational emissions



## Embodied carbon of our products

Our products are carbon neutral, and we are the first business in our industry to include the cost of carbon in our products. We consider this an investment in present and future generations, and simply a cost of doing business. We calculate the embodied carbon of our products, from the raw material to the manufacturing gate, using industry recognised ISO standards. We have reduced the carbon footprint of our products through smart design and efficient manufacturing. While the embodied carbon of our products is low, they still do have a carbon impact. We mitigate this through our Carbon Neutral Product Initiative by offsetting the equivalent emissions using certified carbon credits. These carbon credits are generated from projects focused on renewable energy, fuel switching and reforestation around the world.

### Key activities contributing to the embodied carbon of our products





# Frontier™ Acoustic Raft

Solid in appearance, yet hollow in the centre, Frontier Acoustic Raft is a three-dimensional variation of the Frontier system. With four geometric forms, Raft is scored, folded, and 'zipped' together using a locking channel to create a series of modular acoustic beams.

Raft's geometric shapes are designed with both aesthetics and acoustic performance in mind. Made from compressed, needle-punched, polyester fiber, the compact outer shell absorbs higher frequencies, while the combination of the air within the hollow centre, and the three-dimensional form, effectively absorbs lower frequencies.

Modular in nature, the unique channel and clip system allows for complete control over the application of each individual component—giving you the freedom to mould the system to the contours and requirements of your space.


#### Patent

Panel Fixing System Patent  
US Patent 10,113,312

To find out more about Frontier  
visit [www.autexglobal.com](http://www.autexglobal.com)

- Frontier Acoustic Raft Blade in Pavilion

- Cronulla RSL, Australia



- Cronulla RSL, Australia

- Frontier Acoustic Raft Blade in Pavilion



- Frontier Acoustic Raft Beam 250 in Petronas, Herald and Ironbank

- Stiebel Eltron Showroom, Australia



## Design options



Blade




Trapezoid






## Design options



Beam 250



Beam 100



# Frontier™ Acoustic Fins

Elegant and refined, Frontier Acoustic Fins offer excellent acoustic absorption with sleek, gentle form—at once a design feature and a functional necessity. Lightweight and semi-rigid, Fins are available in five standard designs with 1/2" and 1" thicknesses.

#### Patent

Panel Fixing System Patent  
US Patent 10,113,312

To find out more about Frontier  
visit [www.autexglobal.com](http://www.autexglobal.com)

● Nech Aged Care, Australia

● Custom Frontier Acoustic Fins in Falling Water



## Design options



Tundra



Dune



\* Images shown are two packs.

● Lumino Dentists,  
New Zealand

● Frontier Acoustic Fins Talus  
in Flatiron



## Design options




Talus




FLIS (1/2 Utility)

\*Images shown are two packs.

● Frontier Acoustic Fins Tundra in Empire



● Taunton College, United Kingdom



● Custom Frontier Acoustic Fins in Pavilion




● Te Hono - New Plymouth Airport, New Zealand

# Frontier™


## The system

Increase productivity on-site, saving installation time and material costs.




### Autex Frontier Extrusions

Multiuse aluminium channels, along with a system of components, act as a support for Acoustic Fins or Raft allowing for easy installation and adjustments on site.




### Autex Mounting Clips

The exclusive Frontier connector clip 'clicks' in place to enable Fins or Raft to be attached directly to the ceiling channel, leaving no exposed fasteners or adhesives.




### Choose Acoustic Fin or Raft styles

Enjoy the freedom to create new and interesting ceiling and wall features with Fins or Raft. Choose Fins for simple and stylish arrangements, or Raft to add dimensional shape and volume.




### Arrangement versatility

Arrange Fins or Raft in countless configurations. Install in standard or custom sequences, or bring your vision to life working side-by-side with Autex Acoustics in-house acoustic design experts and account managers.



### Easy assembly

Frontier is assembled quickly and efficiently, saving time on site. A modular system, Frontier can move with your space—easy to uninstall and relocate as required.




### A semi-permanent system

Frontier uses no adhesives. Each component can be removed quickly at the end of life, minimising negative impacts on the environment at the time of disposal.


# Frontier™

## The system components


Pack components




**RAFNEX**  
Frontier 1/2" Extrusion




**RAFTCC**  
Autex Mounting Clip



**RAFNEX24**  
Frontier 1" Extrusion




**RAFCCT**  
Autex Frontier  
Channel Connector




**RAFNEXRT**  
Frontier Raft Extrusion

## Accessories




**RAFWCP**  
Autex Removable W-CLip




**RAFM6MP**  
Velda Magnet Pot with  
M6 Thread and Cable Adaptor




**RAFHDCC**  
Autex Heavy Duty Frontier  
Channel Connector with  
4x M5 Grub Screws



**RAHVAS**  
Autex Adjustable  
Suspension Set - Channel



**RAFM6GC**  
Velda Grid Connector  
with M6 Thread



● Taronga Zoo,  
Australia

● Custom Frontier Acoustic Fins  
in Savoye



# Environmental certifications

## Certifying your green building

Autex Acoustics products meet criteria for WELL, LEED, Green Star, and BREEAM building rating systems, helping you achieve certification for your project. For support and guidance on available rating system points please visit [www.autexglobal.com](http://www.autexglobal.com), or speak with your Autex Acoustics account manager.



### Mindful Materials

The Mindful Materials library provides transparent information on product environmental certifications and ingredients to help you make informed decisions when specifying. Explore our product range on the Mindful Materials library [mindfulmaterials.com](http://mindfulmaterials.com)



### Environmental Product Declaration

An Environmental Product Declaration (EPD) is a document that communicates information about the life-cycle environmental impact of a product, including embodied carbon. Our EPDs are created and verified in accordance with ISO 14025 and ISO 15804, used for construction products and services.



### GreenRate – Level A

GreenRate is a multi-attribute environmental certification that scores products on a range of environmental, health, and social measures. Autex Acoustics products are certified to achieve GreenRate Level A. Level A is the highest GreenRate level and demonstrates the highest level of product sustainability.



### Declare – International Living Future Institute

The ingredients in our products have been reviewed against the Living Future Challenge Red List and achieve a Third-Party Verified 'Red List Free' status.



Products achieve the highest 'LBC Red List Free' status when:

- Ingredients are 100% disclosed and are not found in the Red List
- Products are shown to meet VOC emissions limits

We assure the accuracy of our certifications by having our Declare labels independently verified by a third party expert.



### Heath Product Declaration

A Health Product Declaration (HPD) is a document that reports the ingredients of a product and the health effects associated with these ingredients. A Health Product Declaration has been generated for each of our products.



### CDPH Standard

CDPH Standard Method (CA Section 01350) is a widely used standard to evaluate building products for low volatile organic chemicals (VOC) and formaldehyde emissions. All Autex Acoustics products meet the limits set by CDPH and the LEED building rating scheme.



### ISO Certifications

#### ISO 14001 – Environmental Management

Autex Acoustics manufactures under environmental management processes that are ISO certified. This certification gives assurance that we manage any environmental impacts within our operations.



#### ISO 9001 – Quality Management

Autex Acoustics has a strict quality management system that is ISO certified. Robust quality processes from raw material through to product release help ensure our products meet expectations.



#### ISO 45001 – Health and Safety Management

Autex Acoustics manufacturing operations have an ISO 45001 certified Health and Safety Management System to ensure the safety and wellbeing of our people.



● **Autex Industries Ltd**

702-718 Rosebank Rd  
Private Bag 19988  
Avondale 1746, Auckland  
New Zealand  
Freephone 0800 428 839  
Phone +64 9 828 9179  
Fax +64 9 828 5810

● **Autex Australia Pty Ltd**

166 Bamfield Road  
PO Box 5099  
West Heidelberg, Melbourne  
VIC 3081, Australia  
Freephone 1800 678 160  
Phone +61 3 9457 6700  
Fax +61 3 9457 1020

● **Autex Acoustics Ltd**

Unit J4, Lowfields Way,  
Lowfields Business Park,  
Elland, West Yorkshire  
Hx5 9Da  
United Kingdom  
Phone +44 0 1422418899

● **Autex Acoustics LLC**

1630 Dan Kipper Dr,  
Riverside, CA 92507  
United States of America  
Phone +1 424 203 1813

An ISO 9001, ISO 14001 and ISO 45001 certified company. The brand names and logos mentioned herein are registered or unregistered trademarks either owned or used under license by Autex Industries Limited or other members of the Autex Group. The contents of this document are protected by Copyright 2021 Autex Industries Ltd. All Rights Reserved. It is the user's responsibility to determine if the product and information presented in this document is suitable for the intended application by engaging a suitably qualified consultant. The information contained in this document is correct to the best of our knowledge at the date of its publication. To verify that this document is the most current publication please check our website or contact your Autex account manager.